Please check the examination details bel	ow before ente	ring your candidate information
Candidate surname		Other names
Centre Number Candidate Number Pearson Edexcel Inter		al GCSE
<b>Time</b> 2 hours 30 minutes	Paper reference	4MB1/02R
Mathematics B PAPER 2R		
<b>You must have:</b> Ruler graduated in coprotractor, pair of compasses, pen, HE Tracing paper may be used.		- 11 1

#### **Instructions**

- Use **black** ink or ball-point pen.
- Fill in the boxes at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided - there may be more space than you need.
- Calculators may be used.

#### Information

- The total mark for this paper is 100.
- The marks for **each** question are shown in brackets
  - use this as a guide as to how much time to spend on each question.

#### **Advice**

- Read each question carefully before you start to answer it.
- Check your answers if you have time at the end.
- Without sufficient working, correct answers may be awarded no marks.

Turn over ▶



### **Answer ALL TWELVE questions.**

#### Write your answers in the spaces provided.

## You must write down all the stages in your working.

1	Rorv	buvs	and	sells	jewellery.

Rory buys a necklace for \$180

He sells the necklace for \$230

(a) Calculate, to 3 significant figures, Rory's percentage profit.

(2)

Rory sells a bracelet for \$203

This price represents a 16% profit on his cost price.

(b) Calculate the cost price of the bracelet.

**(2)** 

Rory travelled by plane from New York to Dubai to buy some jewellery.

The total flight time for the journey was 12 hours 48 minutes.

The average speed for the journey was 860 km/h

(c) Calculate the total distance, in kilometres, travelled by the plane.

(3)

Rory bought some earrings for a total cost of 91 750 dirhams.

Using the exchange rate,

1 dollar = 3.67 dirhams

(d) calculate the total cost of the earrings in dollars.

(2)







2	(a) Write 76 000 000 in standard form.	(1)
	(b) Write $8.3 \times 10^{-4}$ as an ordinary number.	(1)
	(c) Calculate $(3 \times 10^{147}) \div (6 \times 10^{122})$ Give your answer in standard form.	
	(d) Write $1.6 \times 10^{41}$ as a product of its prime factors.	(2)
	Show your working clearly.	(3)






Diagram **NOT** accurately drawn

(5)

Figure 1

Figure 1 shows a solid right circular cone.

The radius of the base of the cone is 8 cm.

The volume of the cone is  $320\pi \,\mathrm{cm}^3$ 

The **total** surface area of the cone is  $k\pi$  cm<sup>2</sup>

Calculate the value of k


Volume of a cone = 
$$\frac{1}{3} \pi r^2 h$$

Curved surface area of cone =  $\pi r l$ 





- 4 Trapeziums P and Q are drawn on the grid opposite.
  - (a) Describe fully the single transformation that maps trapezium P onto trapezium Q

(3)

Trapezium *P* is transformed to trapezium *A* under the translation  $\begin{pmatrix} 2 \\ -3 \end{pmatrix}$ 

(b) On the grid, draw and label trapezium A

(2)

Trapezium P is transformed to trapezium B by a rotation of 90° clockwise about the point (5, 2)

(c) On the grid, draw and label trapezium B

(2)


Trapezium C is the image of trapezium Q under the transformation with matrix  $\mathbf{M}$  where

$$\mathbf{M} = \begin{pmatrix} 0 & -\frac{1}{2} \\ \frac{1}{2} & 0 \end{pmatrix}$$

(d) On the grid, draw and label trapezium C

(3)

# **Question 4 continued**



Turn over for a spare grid if you need to redraw your trapeziums.




$\times$	
$\times \Box \times$	
$\infty$	
$\times \otimes \times$	
$\times \times $	
****	
$\times$	
XXXXX	
$\times m \times$	
$\times$	
XXXXX	
$\times$	
******	
$\times$ $\cup$ $\cap$ $\times$	
$\times$	
× <del>33</del> ×	
×m×	
$\times$	
*****	
*****	
******	
$\times\!\!\times\!\!\times\!\!\times\!\!\times$	
******	
*****	
XXXXX	
$\times$	
****	
******	
<b>******</b>	
XXXXX	
*****	
*****	
\$\$\$\$\$\$	
*****	
<b>O</b>	
$\times \circ \times$	
$\times$ 8 $\times$ 8	
$\times \bigcirc \times$	
Ó	
Ö	
$\infty$	
$\times$	
5	
\$	
2	
$\times$	
$\times$	
000 <del>00</del> 00	
$\times$	
$\times$	
SIN THIS	
SINTHIS /	
A SIMT NE	
E IN THIS AF	
E IN THIS AF	
EIN THIS ARE	
EIN THIS ARE/	
EIN THIS ARE	
EIN THIS ARE/	
EIN THIS ARE/	
EIN THIS ARE/	
EIN THIS AREA	
E IN THIS AREA	
EIN THIS AREA	
EIN THIS AREA	
EIN THIS AREA	
EIN THIS AREA	
EIN THIS AREA	
EIN THIS AREA	
EINTHIS AREA	
EINTHIS AREA	
EINTHIS AREA	
EIN THIS AREA	
EIN THIS AREA	
EIN THIS AREA	
EIN THIS AREA	
EIN THIS AREA	
EIN THIS AREA	
EIN THIS AREA	
EIN THIS AREA D	
EIN THIS AREA DO	
EIN THIS AREA DO N	
EIN THIS AREA DO NO	
EIN THIS AREA DO NO	
EIN THIS AREA DO NOT	
EIN THIS AREA DO NOT	
EIN THIS AREA DO NOT	
EIN THIS AREA DO NOT W	
EIN THIS AREA DO NOT WE	
EIN THIS AREA DO NOT WRI	
EIN THIS AREA DO NOT WRI	
EIN THIS AREA DO NOT WRIT	
EIN THIS AREA DO NOT WRITE	
EIN THIS AREA DO NOT WRITE	
EIN THIS AREA DO NOT WRITE I	
EIN THIS AREA DO NOT WRITE I	
EIN THIS AREA DO NOT WRITE IN	
EIN THIS AREA DO NOT WRITE IN T	
EIN THIS AREA DO NOT WRITE IN T	
EIN THIS AREA DO NOT WRITE IN TH	
EIN THIS AREA DO NOT WRITE IN THI	
EIN THIS AREA DO NOT WRITE IN THIS	
EIN THIS AREA DO NOT WRITE IN THIS	
EIN THIS AREA DO NOT WRITE IN THIS A	
EIN THIS AREA DO NOT WRITE IN THIS A	
EIN THIS AREA DO NOT WRITE IN THIS AR	
EIN THIS AREA DO NOT WRITE IN THIS AR	
EIN THIS AREA DO NOT WRITE IN THIS ARE	
EIN THIS AREA DO NOT WRITE IN THIS AR	

Question 4 continued



# **Question 4 continued**

Only use this grid if you need to redraw your trapeziums.





(Total for Question 4 is 10 marks)




Diagram NOT accurately drawn

Figure 2

Figure 2 shows right triangular prism ABCDEF

$$AB = 5 \,\mathrm{cm}$$

$$DF = 8 \,\mathrm{cm}$$

$$AF = 7 \,\mathrm{cm}$$

$$\angle CBA = 90^{\circ}$$

(a) Calculate the volume, in cm<sup>3</sup> to the nearest whole number, of the triangular prism.



**(4)** 




Figure 3

Figure 3 shows a shaded shape made by removing triangle PTQ from rectangle PQRS

$$QR = 12 \,\mathrm{cm}$$


$$SR = 25 \,\mathrm{cm}$$

$$\angle PTQ = 90^{\circ}$$

$$\angle TQR = 20^{\circ}$$

(b) Calculate the perimeter, in cm to the nearest whole number, of the shaded shape.

/	$A \setminus$
# /	11
١.	T 1



$\times\!\!\times\!\!\times$	$\times\!\!\times\!\!\times$
DO N	$\bowtie$
	$\times\!\!\times$
88.9	W
	$\bowtie$
	W
O	⋈
$\times\!\!\times\!\!\times$	$\bowtie$
	$\bowtie$
×.	$\bowtie$
VRI	$\times\!\!\times$
<b>***</b>	$\times$
$\times$	$\bowtie$
$\times$	
	₩
	$\approx$
$\times$	iXX
IN THIS AREA	$\otimes$
× 4	×
×	$\otimes \otimes$
	$\bowtie$
885	iXX
<b>***</b>	$\bowtie$
$\times$	W
	₩
$\times\!\!\times\!\!\times$	$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$	$\otimes \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \!$
$\times\!\!\times\!\!\times$	$\times\!\!\!\times$
$\times\!\!\times\!\!\times$	$\times\!\!\times$
$\Rightarrow \Rightarrow \Rightarrow$	$\otimes\!\!\otimes$
$\Rightarrow \Rightarrow \Rightarrow$	$\otimes \otimes$
$\Rightarrow \Rightarrow \Rightarrow$	$\Longrightarrow$
$\Longrightarrow$	$\otimes\!\!\!\otimes$
$\times\!\!\times\!\!\times$	$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$	XX
	$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$	XX
$\times\!\!\times\!\!\times$	$\times\!\!\times$
$\times$	×
× C	$\bowtie$
$\times$	$\bowtie$
$\times$	$\times\!\!\times$
XZ	₩
	₩
$\times \otimes$	W
$\times\!\!\times\!\!\times$	$\bowtie$
C) W	$\bowtie$
	$\otimes \otimes$
	₩
	$\bowtie$
AA V	
XXX	$\mathbb{I} \times \times$
	$\bowtie$
	$\otimes$
2	
VEITEINI	
TE IN I	
SHE NIETS	
1	
1	
1	
1	
1	
1	
TEIN THIS AREA	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
THIS AREA	
THIS AREA	
THIS AREA DO	
THIS AREA DO	
THIS AREA DOT	
IHIS AREA DO N	
THIS AREA DO NO	
THIS AREA DO NO	
THIS AREA DO NOT	
THIS AREA DO NOT W	
THIS AREA DO NOT W	
THIS AREA DO NOT WH	
THIS AREA DO NOT WRIT	
THIS AREA DO NOT WRIT	
THIS AREA DO NOT WRITE	
THIS AREA DO NOT WRITE I	
THIS AREA DO NOT WRITE II	
THIS AREA DO NOT WRITE IN	
THIS AREA DO NOT WRITE IN T	
THIS AREA DO NOT WRITE IN TH	
THIS AREA DO NOT WRITE IN THI	
THIS AREA DO NOT WRITE IN THI	
THIS AREA DO NOT WRITE IN THIS	
THIS AREA DO NOT WRITE IN THIS A	
THIS AREA DO NOT WRITE IN THIS AR	
THIS AREA DO NOT WRITE IN THIS AR	
THIS AREA DO NOT WRITE IN THIS A	

Question 5 continued	



6 Ted has two boxes of buttons, Box A and Box B


There are 20 buttons in Box A and 20 buttons in Box B

There are 13 white buttons in Box A

There are 9 white buttons in Box B

Ted takes at random a button from Box A and a button from Box B

(a) Complete the probability tree diagram.



(2)

(b) Calculate the probability that Ted takes at least one white button.

(3)

Ted also has a bag of buttons.

There are 30 buttons in the bag.

There are *x* white buttons in the bag.

Ted takes at random a button from Box A, a button from Box B and a button from the bag.

The probability that of the 3 buttons Ted has, 2 of the buttons are white is  $\frac{337}{1000}$ 

(c) Work out the value of *x* Show clear algebraic working.

(4)





$\otimes$	$\times$	$\otimes$
22		$\bowtie$
$\otimes \otimes$	$\Xi$	
88	<b>2</b>	X
	XX	ΚX
88		X
$\otimes$	8	KX
$\times$	XX	$\bowtie$
$\otimes$		$\otimes$
	è	$\otimes \otimes$
88	<	$\times$
889	2 2	iXX
	de.	
$\times$	$\approx$	$\bowtie$
$\sim$		$\times$
$\propto 2$		$\otimes$
×	$\sim$	$\times\!\!\times$
	Ż	$\otimes \diamond$
92	$\times \times$	550
889		$\times\!\!\times$
$\otimes$	ÀΩ	
$\otimes$		$\times$
$\otimes$		$\times$
$\times$	×	$\otimes$
88		$\approx$
	<b>√</b> √.	
XX	J	$\bowtie$
88	J N	KX
88		$\times\!\!\times$
$\Diamond \Diamond$	XX	$\sim$
$\otimes$		$\infty$
$\times\!\!\times$	$\times$	$\times\!\!\times$
$\Diamond \Diamond$	$\langle \langle \rangle$	$\langle \rangle \langle$
$\times$		
88	$\times$	X
$\Diamond\Diamond$	$\propto$	
$\times\!\!\times$	XX	$\times\!\!\times$
$\otimes$	$\langle \times \rangle$	$\times$
$\Diamond\Diamond$	$\stackrel{\wedge}{\sim}$	
$\times\!\!\times$	X	$\times$
$\langle \rangle$		$\langle \rangle$
$\otimes$	$\otimes$	$\otimes$
88	$\otimes$	X
$\Diamond\Diamond$	$\Diamond \Diamond$	$\Diamond \Diamond$
$\otimes$	$\otimes$	
$\times\!\!\times$		$\times\!\!\times$
$\Leftrightarrow$	$\otimes$	
$\times$		$\bowtie$
$\otimes$	$\equiv$	$\times$
$\infty$		$\otimes$
$\times$	XX	$\times$
88	~	XX
88	Ψ.	$\times\!\!\times$
$\Diamond\Diamond$	$\approx$	$\otimes$
$\otimes$	$\propto$	
$\times$		$\approx$
	Œ.	$\otimes \otimes$
X	V.	$\times$
	×,	$\sim$
92	XX.	
XX	8.4	$\bowtie$
$\langle \rangle$	XX	$\sim$
$\times$		$\otimes$
$\times$		$\otimes$
$\otimes$	$\propto$	$\bowtie$
88	$\times$	$\times\!\!\times$
$\Diamond \Diamond$		$\Diamond\Diamond$
×	7.4	$\times$
$\Diamond \Diamond$	¥4	$\bowtie$
	$\propto$	$\propto$
×		$\times\!\!\times$
		$\bowtie$
$\otimes$		X
$\times$	$\times \times$	$\times\!\!\times$
$\Diamond \Diamond$		$\Diamond \Diamond$
$\otimes$	$\otimes$	
$\times\!\!\times$		$\times\!\!\times$
$\Diamond \Diamond$	$\langle \rangle \langle$	$\Diamond\Diamond$
$\otimes$	XX	$\times\!\!\times$
$\Diamond \!\!\! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \!$	$\langle \times \rangle$	$\langle \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \!$
$\Diamond\Diamond$	$\propto$	$\otimes$
XX	X	$\times\!\!\times\!\!$
$\Diamond \Diamond$	$\langle \times \rangle$	$\langle \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \!$
$\otimes$	$\propto $	500
88	$\times$	$\times$
$\Diamond\Diamond$		
$\otimes$	X	$\times\!\!\times$
$\Diamond \!\!\! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \!$	$\langle \times \rangle$	$\langle \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \!$
$\Diamond\Diamond$	$\propto$	$\otimes$
$\otimes$		$\times\!\!\times\!\!$
$\Diamond \Diamond$	$\langle \times \rangle$	$\langle \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \!$
$\otimes$	$\propto $	500
XX		XX
$\Diamond \Diamond$	$\times$	$\otimes$
奴	V	X
XX	$\equiv$	$\times$
$\bowtie$	2	&
$\otimes$	$\propto$	$\otimes$
$\otimes \otimes$	ž	$\otimes$
$\otimes$	$\overline{}$	
	9	X
889		$\otimes$
$\Diamond\Diamond$		
$\otimes$		$\otimes$
$\otimes$		
	70	$\otimes$
		$\otimes$
×	$\approx$	KX
χÃ	11	$\bowtie$
88		XX
		XX
⊗ã	Z	$\otimes$
XX	$\times \times$	XX
	×.	XX
$\otimes$		$\bowtie$
$\times \times$		$\times$
$\langle X \rangle$		
₩		
	Š	$\otimes$
	5	$\otimes$
$\otimes$	S	
	5 4 2	
$\otimes$	5 4 2	
$\otimes$	S	

Question 6 continued



7 The function g is defined as

$$g: x \mapsto \frac{10}{2x-3}$$

(a) Find the value of x that must be excluded from the domain of g

(1)

(b) Solve g(x) = 5

(3)

The function f is defined as

$$f: x \mapsto 3x^2 + 9x - 7$$
 for  $x > -\frac{3}{2}$ 

(c) Find  $f\left(-\frac{1}{2}\right)$ 

(2)

(d) Express the inverse function  $f^{-1}$  in the form  $f^{-1}:x\mapsto ...$ 

(4)

Solutions of  $ax^2 + bx + c = 0$  are  $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$ 





- 8 The equation of a curve is  $y = \frac{1}{2}x^3 5x 3$ 
  - (a) Complete the table of values for  $y = \frac{1}{2}x^3 5x 3$

х	-4	-3	-2	-1	0	1	2	3	4
у	-15	-1.5				-7.5			9


(3)


(b) On the grid opposite, plot the points from your completed table and join them to form a smooth curve.

(3)

(c) By drawing a suitable straight line on your grid, find estimates, to one decimal place, of the solutions to the equation

$$\frac{1}{2}x^3 - 5x - 3 = 1 - \frac{1}{2}x$$
 in the interval  $-4 \le x \le 4$ 





Turn over for a spare grid if you need to redraw your graph.




$\times$
$\times$
$\times$
*****
$\times \otimes \times$
XXXX
$\times \times \times \times$
$\times$
***
$\times$
$\times$
$\times$
> <b>U</b> 0
× <b>3</b> 3×
$\times$
<b>***</b>
******
*****
*****
****
****
****
*****
****
$\times$
$\times \odot \times$
$\times \overline{\circ} \times$
$\times$
***
×33 ××
XX IIIXX
$\times$
TEIN
TEIN
TEINT
TE IN TH
TE IN THI
TE IN THIS
TE IN THIS
TE IN THIS A
TE IN THIS AR
TE IN THIS ARE
ARE/
TE IN THIS AREA
ARE/
AREA
AREA D
AREA DO
AREA DO
AREA DO N
AREA DO
AREA DO NO
AREA DO NOT
AREA DO NOT W
AREA DO NOT W
AREA DO NOT WR
AREA DO NOT WRI
AREA DO NOT WRIT
AREA DO NOT WRITE
AREA DO NOT WRITE I
AREA DO NOT WRITE IN
AREA DO NOT WRITE IN THE
AREA DO NOT WRITE IN
AREA DO NOT WRITE IN THE
AREA DO NOT WRITE IN THE
AREA DO NOT WRITE IN THIS AR
AREA DO NOT WRITE IN THIS ARE
AREA DO NOT WRITE IN THIS AR

Question 8 continued

## **Question 8 continued**

Only use this grid if you need to redraw your graph.



(Total for Question 8 is 9 marks)



9 (a) (i) Solve the inequality 5y-7 > 2y-13

**(2)** 

(ii) Hence, represent on the number line at the top of the next page, the values of y for which 5y - 7 > 2y - 13

(1)

(b) (i) Solve the inequality  $4x^2 + 4x - 35 < 0$ 

(3)

(ii) Hence find the values of x for which

$$5x-7 > 2x-13$$
 and  $4x^2 + 4x - 35 < 0$ 

(1)


Solutions of  $ax^2 + bx + c = 0$  are  $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$ 

# **Question 9 continued**

-5	_4	-3	-2	-1	0	1	2	3	4	5

(Total for Question 9 is 7 marks)



10 (	(a)	Express	$\frac{\sqrt{98} + \sqrt{18}}{\sqrt{5}}$	in the form	$\sqrt{a}$	where a	is a	number to	be fo	und.
------	-----	---------	--	-------------	------------	---------	------	-----------	-------	------

Show your working clearly.

(3)

(b) Given that 
$$\frac{\sqrt{27}}{81^{\frac{4}{3}}} \times \sqrt{3} = 3^{3}$$

find the value of x, giving your answer as a fraction in its simplest form. Show your working clearly.

-	10
-	-6.1
٠.	U I







11 A curve C and a straight line L are drawn on a grid.

C has equation  $y = 5x^2 - 16x - 5$ 

L has equation y + 5x = 7

(a) Find the coordinates of the points of intersection of C and L Show clear algebraic working.

**(5)** 

P is the point on the curve with equation  $y = 5x^2 - 16x - 5$  with x coordinate 2

The line  $\mathbf{Q}$  is the tangent to the curve at the point P

The line  $\mathbf{Q}$  crosses the x-axis at the point X and the y-axis at the point Y The point M lies on **Q** and is such that XM = MY

(b) Calculate the coordinates of the point M Give your coordinates as exact values.

**(5)** 

Solutions of 
$$ax^2 + bx + c = 0$$
 are  $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$ 








Diagram **NOT** accurately drawn

Figure 4

Figure 4 shows a regular hexagon ABCDEF

Given that the area of hexagon  $ABCDEF = 150\sqrt{3} \text{ cm}^2$ 

(a) find the perimeter, in cm, of the hexagon.




Figure 5

Figure 5 shows a shape *AGHIJKLBCDEF* made from a regular octagon *GHIJKLBA* and the regular hexagon *ABCDEF* from part (a).

(b) Work out the length, in cm to one decimal place, of the straight line KF

(6)

**(4)** 

Area of triangle = 
$$\frac{1}{2}ab\sin C$$

Sum of interior angles of polygon is (2n - 4) right angles





**BLANK PAGE** 



**BLANK PAGE**